# Let's Get Started!
Instructions for Wireless Set Up

Connect the Modem

The contents of this bag will replace your existing DSL Modem.

1. Power up the Modem by connecting it to a wall outlet using the included power adapter.

2. Connect the Telephone Cord from the DSL/Telephone Jack in the wall to the
DSL port in the Modem.

3. Connect one Wireless Access Point unit to LAN 3 or 4 in your Modem using the provided Ethernet cord.

4. Connect the power adapter to the Wireless Access Point and plug the adapter into a wall outlet.
The unit's Power LED light will go on, indicating the unit is powered.

5. You have completed the set up for this room! Now take the appropriate white room bag to the first room
you would like to set up.

Wireless Access point
(Red Dot on Top)

DSL Modem
(replaces your existing modem)

These ports are available for you to connect to your computer or wi-fi for internet access

Ethernet

DSL   LAN4 LAN3 LAN2 LAN1 WAN USB2
                              Reset Power

RESET

ETHERNET

POWER
+12V DC

Ethernet

DSL

DSL to Wall

Power Supply

**Use
LAN 3 or 4
for Cobalt TV**

Power Supply

Cobalt TV®
A world of channels. Your local choice.

Install Overview of Whole Home

A total overview of your home set up once entirely installed.

In this bag. (Bag 1)

DSL Modem
(replaces your existing modem)

**Wireless
Access point**
(Red Dot on Top)

In additional bags
by room.

**Bag 2
Wireless**

Wireless Access Point
(NO Red Dot on Top)

Set Top Box

To TV

**Bag 3
Wireless**

**Wireless
Access Point**
(NO Red Dot on Top)

Set Top Box

To TV

**Bag 4
Wireless**

**Wireless Access Point**
(NO Red Dot on Top)

Set Top Box

To TV

Amino Set Top Box to TV

1. What does your TV input look like? You only need to choose one of the following connections for each TV.

HDMI - Best Quality
(follow the green line)

HDMI IN 1 (DVI)   HDMI

OR

Component - Better Quality
(follow the blue line)

AUDIO   VIDEO
R   L   Y   Pb/Cb Pr/Cr

OR

Composite - Good Quality
(follow the yellow line)

VIDEO   AUDIO
L   R

Helpful Hint: Using this method, the green, blue & red plugs will not be used.

OR

Coaxial Cable - Good Quality
(follow the red line)

ANT IN   Coax Cable

Set Top Box

Good Quality
Composite

Better Quality
Component

Good Quality
Coax

Best Quality
HDMI

2. Connect your set top box to your TV using the appropriate cord (included in the bag).

3. Turn on the TV. The picture will be available within 4-7 minutes. Turn to channel 1 for a guide on how to use the remote features.

In the event that your screen has a message that begins with "Waiting for Address", try this:
Press and hold the WPS button on the front of the wireless access point next to your modem for two seconds. Then press the WPS button on the front of the wireless access point next to your TV. If pairing is successful the WPS will light solid green for 30 seconds and then turn off.

Connecting Additional Televisions - repeat steps above for each additional television.

Wireless to Amino Set Top Box

At Your TV Location:

1. Power up your Amino Set Top Box and Wireless Access Point, ensure they are powered on by connecting them to a wall outlet.

2. Connect one Wireless Access Point unit to your Set Top Box using the provided Ethernet cable.

Power Supply

Set Top Box

Wireless Access point
(NO Red Dot on Top)

Ethernet

Ethernet

Power Supply

See the back of this page to connect to your TV.

Cobalt TV®
A world of channels. Your local choice.

by **HAMILTON®**

© 2020 Nedelco, Inc.